

ISSUE BRIEF 6: EDUCATION AND HEALTH

SEPTEMBER 2009

A large body of evidence links education with health, even when other factors like income are taken into account.

### **Education Matters for Health**


Everyone knows that without a good education, prospects for a good job with good earnings are slim. Few people think of education as a crucial path to health, however. Yet a large body of evidence strongly—and, with very rare exceptions, consistently—links education with health, even when other factors like income are taken into account.<sup>1-6</sup> By "education" we mean educational attainment, or the years or level of overall schooling a person has, rather than instruction on specific health topics like hygiene, diet or exercise; while the quality of education also is important for health outcomes, this information is more difficult to measure and thus typically unavailable. People with more education are likely to live longer, to experience better health outcomes (*Figures 1 & 2*), and to practice health-promoting behaviors such as exercising regularly, refraining from smoking, and obtaining timely health care check-ups and screenings.<sup>4, 7-9</sup> Educational attainment among adults is linked with children's health as well, beginning early in life: babies of more-educated mothers are less likely to die before their first birthdays, and children of more-educated parents experience better health (*Figures 3 & 4*).

Education can influence health in many ways. This issue brief examines three major interrelated pathways through which educational attainment is linked with health: health knowledge and behaviors; employment and income; and social and psychological factors, including sense of control, social standing and social support. In addition, this brief explores how educational attainment affects health across generations, examining the links between parents' education—and the social and economic advantages it represents—and their children's health and social advantages, including opportunities for educational attainment.






Figure 1. For both men and women, more education typically means longer life.<sup>†</sup> College graduates can expect to live at least 5 years longer than individuals who have not finished high school.



People with more education are likely to live longer and experience better health outcomes.

Source: National Longitudinal Mortality Study, 1988-1998.


† This chart describes the number of years that adults in different education groups can expect to live beyond age 25. For example, a 25-year-old man with only a high-school diploma can expect to live 50.6 more years and reach an age of 75.6 years.




+ Based on self-report and measured as poor, fair, good, very good or excellent.


\* Age-adjusted.







Educational attainment among adults is linked with children's health as well, beginning early in life.




Source: National Health Interview Survey, 2001-2005.

† Based on parental assessment and measured as poor, fair, good, very good or excellent. \* Age-adjusted.



### Low educational attainment is a major problem in this country.

In the United States overall, nearly 16 percent of adults ages 25 years and older have not completed high school, 30 percent have no schooling beyond high school, 27 percent have attended but not completed college, and 28 percent are college graduates (*Figure 5*). These overall percentages mask dramatic differences across racial or ethnic groups, however: for example, 50 percent of Asian and 31 percent of non-Hispanic white adults are college graduates, compared with 17 percent of non-Hispanic black and 13 percent of Hispanic and American Indian or Alaska Native adults.



Approximately 30 percent of high-school freshmen in this country—and nearly half of all freshmen in school systems in the 50 largest U.S. cities—fail to graduate within four years.<sup>10</sup> The likelihood of dropping out increases with decreasing income. In 2007, for example, 17 percent of 16 to 24 year-olds from families in the lowest income quartile were not enrolled in high school and had not received a high-school credential, compared with 3 percent of those from families in the highest income quartile.<sup>11</sup> At the same time, college has become increasingly unaffordable for low-and middle-income families. For the 2007-2008 school year, net college costs for a family in the lowest income quintile represented 55 percent of median family income, compared with 33 percent, 25 percent, 16 percent and 9 percent, respectively, for families in successively higher income quintiles.<sup>12</sup> In response to budget constraints, at least 28 states have cut funding for public colleges and universities and/or substantially increased college tuitions in their 2009 fiscal year budgets.<sup>13</sup>

The United States is the only industrialized nation where young people currently are less likely than members of their parents' generation to be high-school graduates.<sup>14</sup> Given the changing demography of the country and the escalating costs of college, bold action will be needed to meet President Obama's goal of having the highest proportion of college graduates in the world by 2020.

The United States is the only industrialized nation where young people currently are less likely than members of their parents' generation to be high-school graduates. Education is linked with health through three major interrelated pathways: health knowledge and behaviors, employment and income, and social and psychological factors.

### How does education influence health?





Figure 6. Interrelated pathways through which educational attainment affects health.

Researchers have found supporting evidence for each of the following interrelated pathways (*Figure 6*):

## 1) Education can lead to improved health by increasing health knowledge and healthy behaviors.

This is the pathway that many people think of first to explain the strong links between education and health. Education can increase people's knowledge and cognitive skills, enabling them to make better-informed choices among the health-related options available for themselves and their families, including those related to obtaining and managing medical care.<sup>4, 15-18</sup> Greater educational attainment has been associated with health-promoting behaviors including increasing consumption of fruits and vegetables and other aspects of healthy eating, engaging in regular physical activity, and refraining from excessive consumption of alcohol and from smoking (*Figure 7*).<sup>19-22</sup> In addition, changes in health-related behaviors in response to new evidence, health advice and public health campaigns (about the risks of smoking, for example) tend to occur earlier among more-educated people.<sup>4, 23</sup>

As discussed in the section below on employment, more education is typically linked with higher-paying jobs providing the necessary income to live in neighborhoods that are less stressful, have stores with affordable healthy foods, and provide access to recreational facilities. In other words, people with more education are more likely to live in health-promoting environments that encourage and enable them to adopt and maintain healthy behaviors.



The links between education and health through health knowledge and behaviors are likely to be explained at least in part by literacy.<sup>24, 25</sup> Low literacy is common in the United States (a 2003 survey found that 30 million or 14 percent of U.S. adults had literacy levels below the level needed to perform "simple and everyday" literacy activities), with higher prevalence among people with fewer years of education.<sup>26</sup> More specifically, average *health* literacy (i.e., the degree to which individuals have the capacity to obtain, process and understand basic health information and services needed to make appropriate health decisions and adhere to sometimes complex disease management protocols) increases with educational attainment. The proportion of American adults with "below basic" health literacy, for example, ranges from 3 percent of college graduates to 15 percent of high-school graduates and 49 percent of adults who have not completed high school.<sup>26</sup> Levels of health literacy in turn have been associated with self-reported overall health, which correlates strongly with objective clinical assessments:<sup>27, 28</sup> compared with adults who have adequate functional health literacy, adults with inadequate functional health literacy are more likely to rate their health as poor.<sup>29</sup>

## 2) Greater educational attainment leads to better employment opportunities and higher income, which are linked with better health.

Education provides the knowledge and skills necessary for employment, which can shape health in many ways. More education generally means a greater likelihood of being employed at all, and of having a job with healthier working conditions, better employment-based benefits and higher wages (*see Commission Issue Brief 4: "Work and Health"*).

• Education, unemployment, financial instability and health. Americans with lower educational attainment are more likely to be affected by fluctuations in the

More education generally means a greater likelihood of being employed at all, and of having a job with healthier working conditions, better employmentbased benefits and higher wages.

commissiononhealth.org

0

More education can lead to higher-paying jobs, which enable people to obtain health care when needed, provide themselves and their families with more nutritious foods, and live in safer and healthier homes and neighborhoods with supermarkets, parks and places to exercise—all of which can promote good health by making it easier to adopt and maintain healthy behaviors.

economy. While current unemployment rates are higher now than in more than a quarter-century, increases in unemployment rates over the past year have been greatest for adults who have not completed high school—6.9 percentage points, compared with 2.2 percentage points for college graduates.<sup>30</sup> In June 2009, unemployment rates were 15.5 percent for adults who had not graduated from high school, 9.8 percent for high-school graduates, 8.0 percent for those who had attended but not completed college, and 4.7 percent for college graduates.<sup>30</sup> These differences have major health implications; compared with their employed counterparts, people who are unemployed experience poorer health and higher mortality rates.<sup>31-34</sup>

- Education, working conditions and health. Workers with less formal education and training are more likely to hold lower-paying jobs with more occupational hazards, including environmental and chemical exposures (e.g., pesticides, asbestos) and poor working conditions (e.g., shift work with few breaks, potentially harmful tools) that put them at higher risk of injury and fatality.<sup>35</sup> Less-educated workers are also likely to experience more psychosocial stress at work<sup>36-38</sup>—for example, to have jobs that make high demands yet offer few opportunities for control and skill utilization. Such psychosocial aspects of work—including perceived balance between a worker's efforts and rewards, perceived justice and discrimination in the workplace, and social support among co-workers—have been shown to have both short- and longer-term impacts on health, particularly through pathways related to stress.
- Education, work-related benefits and health. Less-educated workers in lowerwage jobs also are less likely to have health-related benefits including paid sick and personal leave, workplace wellness programs, child and elder care resources, and retirement benefits, in addition to employer-sponsored health insurance. Although most Americans receive their health insurance through their jobs, not all workers have access to this benefit. Employers with lowerwage workers offer health insurance less frequently, and, even if employmentsponsored benefits are available, low-wage workers may not be able to afford the premiums, copayments or deductibles.<sup>39, 40</sup>
- Education, income and health. For the vast majority of Americans, employment is the sole or main source of income—a work-related resource that affects health through multiple well-documented direct and indirect pathways.<sup>7</sup> With limited exceptions, greater educational attainment generally corresponds with higher-paying employment. A recent study estimated that on average each additional year of schooling represents an 11 percent increase in income,<sup>41</sup> and median yearly earnings in 2007 were \$32,862 for a full-time year-round worker with only a high-school degree, \$40,769 for a worker with some college, and \$56,118 for a worker with a bachelor's degree.<sup>42</sup> These differences are particularly dramatic when compounded over a person's lifetime: lifetime earnings (in 1999 dollars, and based on a 40-year, full-time work life) for adults who have graduated from high school but not attended college have been estimated at \$1.2 million, compared with \$2.1 million for those with bachelor's degrees.<sup>43</sup>

Higher-paying jobs offer greater economic security and increased ability to accumulate wealth, enabling individuals to obtain health care when needed, to provide themselves and their families with more nutritious foods, and to live in safer and healthier homes and neighborhoods with supermarkets, parks and places to exercise—all of which can promote good health by making it easier to adopt and maintain healthy behaviors. Work-related income may also affect health through pathways involving stress. Lower-paid workers experience greater stress because they have fewer financial resources to cope both with everyday challenges, including child care and other family responsibilities, and with unexpected challenges such as illness.<sup>7</sup>

### Stress and health.


Much has been learned recently about physiologic pathways that help explain the links between education and health. Coping with the constant challenges of daily living—balancing the demands of work and family, for example—can be particularly stressful for people whose financial and social opportunities and resources have been limited by low educational attainment. Stressful experiences have been linked repeatedly with many adverse health outcomes across the life course, through physiological mechanisms including neuroendocrine, immune and vascular responses to stressors. Stress can trigger the body to release hormones and other substances that over time can damage immune defenses and vital organs. The physiologic chain of events can accelerate aging and lead to serious chronic illnesses including cardiovascular disease.<sup>44</sup>

## 3) Education is linked with social and psychological factors that affect health.

Education is linked with social and psychological factors, including sense of control, social standing and social support. These factors can improve health through reducing stress, influencing health-related behaviors and providing practical and emotional support.

- Sense of control. Education may influence health by shaping people's sense of control-their perceptions of the extent to which they can influence their life circumstances. Several studies have concluded that more education confers a greater sense of control, which perhaps is not surprising given the influence of education on prospects for jobs and income. Higher levels of education have been linked with greater perception of personal control, fostering skills, habits and attitudes-such as problem-solving, purposefulness, self-directedness, perseverance and confidence-that contribute to people's expectations that their own actions and behaviors shape what happens to them.<sup>45-47</sup> Increased sense of control in turn has been linked with health outcomes including higher levels of self-rated health, lower levels of physical impairment, and decreased risk of chronic conditions; it also has been associated with health-related behaviors including smoking, alcohol consumption, physical activity and diet.<sup>45-49</sup> Sense of control may also influence health through job-related pathways, by affecting a person's job seeking and performance, for example.<sup>50-52</sup> It is important to note that an individual with a greater sense of control may also be more likely to achieve higher educational attainment, making it difficult to separate out the effects of sense of control and education on health.
- Social standing. Many experts believe that social standing is another important factor linking education with health. Along with income and occupation, educational attainment is an important determinant of where individuals rank within social hierarchies that reflect status and influence in societies. Greater educational attainment typically is associated with higher social standing, which in turn has been linked with better health status.<sup>53</sup> An individual's perception of where she or he ranks in a social hierarchy has been referred to as *subjective social status* and has been shown to powerfully predict health status such as occupation, income and education.<sup>54-56</sup> While the pathways linking it to health are not well understood, subjective social status may be a more comprehensive reflection of social and economic resources.<sup>56</sup>

Social and psychological factors linked with education can influence health through pathways related to stress, health-related behaviors, and practical and emotional support.



Higher levels of social support have been linked with better physical and mental health outcomes.<sup>61-64</sup> People with more social contacts have lower mortality rates across multiple age groups and in both sexes, and disruptions in family stability have been linked with worse health among adults and poorer health behaviors and well-being among children.<sup>3, 65-69</sup> Social support can buffer the health-damaging effects of stress by reducing negative emotional and behavioral responses to stressful situations.<sup>70, 71</sup> Social relationships may also have beneficial health effects unrelated to stress.<sup>64, 72</sup> larger social networks can provide access to employment, housing and other opportunities and resources that influence health,<sup>73-75</sup> and behavior norms within social groups can influence health-related behaviors such as smoking, exercise and alcohol consumption.<sup>63</sup>

# Parents' education influences children's prospects for health during childhood and beyond.

Parents' educational attainment is linked to their children's health and their children's educational attainment—both of which influence their children's health as adults.





Figure 8. The impact of education on health crosses generations.

As illustrated in figures 3 and 4, parents' education is strongly linked to their children's health and development.<sup>76-79</sup> Parents with lower educational attainment typically face greater obstacles—including lack of knowledge, skills, time, money and other resources—to creating healthy home environments and modeling healthy behaviors for their children. The quality of children's health and development in turn influences health later in life, through both direct and indirect pathways. A large body of research has consistently linked adverse effects on brain, cognitive and behavioral development early in life with important health outcomes later in life, including cardiovascular disease and stroke, hypertension, diabetes, obesity, smoking, drug use and depression—conditions that account for a major portion of preventable morbidity and premature mortality in the United States. Healthy development in childhood can also affect health later in life through its association with greater academic achievement and educational attainment <sup>80</sup> (see Commission Issue Brief 1: "Early Childhood Experiences and Health").

Parents' educational attainment is linked to their children's health and their children's educational attainment—both of which influence their children's health as adults.



The level of educational attainment children eventually achieve also affects the health of their own children perpetuating a vicious intergenerational cycle of low educational attainment and poorer health. Parents' educational attainment can also shape children's prospects for healthy lives through links to children's educational attainment. Children's academic achievement is associated with parental education and related social and economic advantage; children with less-educated parents and lower-income families face greater obstacles to success in school and are less likely to go on to receive college educations (Figure 9).<sup>41, 81-86</sup> Parents' education levels can affect their children's education prospects both directly, through the kinds of support and resources parents are able to provide at home, and indirectly, through the quality of schools their children are likely to attend. Less-educated parents are less likely to have high educational expectations and to create stimulating and nurturing environments for their children;<sup>87</sup> in addition, they are more likely to live in lower-income neighborhoods in which schools may have insufficient resources. The level of educational attainment children eventually achieve affects their health as adults, through the same pathways experienced by their parents, and it also affects the health of their own children in turn-perpetuating a vicious intergenerational cycle of low educational attainment and poorer health.



Office, 2007.



By providing the knowledge and skills necessary to fully participate in the labor force, education can be key in promoting social mobility and in breaking the cycle of intergenerational disadvantage and related health disparities.

### Improving health through education policies and programs

By providing the knowledge and skills necessary to fully participate in the labor force, education can be key in promoting social mobility and in breaking the cycle of intergenerational disadvantage and related health disparities.<sup>41, 86</sup> Investments to promote and increase educational attainment could have both human and economic benefits; for example, a recent analysis estimated that, if adult Americans who have not completed college experienced the lower death rates and better health of college graduates, the resulting improvements in health status and life expectancy would translate into potential gains estimated at more than \$1 trillion annually.<sup>7</sup>

Current knowledge described in this brief indicates that one of the most effective strategies for reducing health disparities in this country could be to take steps to close the gaps in educational attainment. Reviewing specific policies and programs to increase educational attainment was beyond the scope of this brief, but more information can be obtained from the resources listed below.

### RESOURCES

- Achieve www.achieve.org
- Alliance for Excellent Education
  <a href="http://www.all4ed.org/">http://www.all4ed.org/</a>
- The Annie E. Casey Foundation
  <a href="http://www.aecf.org/OurWork/Education.aspx">http://www.aecf.org/OurWork/Education.aspx</a>
- Bill and Melinda Gates Foundation United States Program
  <u>http://www.gatesfoundation.org/united-states/Pages/united-states-education-strategy.aspx</u>
- Brown Center on Education Policy at Brookings <u>http://www.brookings.edu/brown.aspx</u>
- Center for Research on Education, Diversity and Excellence
  <u>http://crede.berkeley.edu/</u>
- Education Commission of the States
  <u>http://www.ecs.org/</u>
- The Education Trust
  <u>http://www2.edtrust.org/edtrust/default</u>
- Future of Children
  <u>www.futureofchildren.org</u>
- Lumina Foundation
  <u>http://www.luminafoundation.org/</u>
- Mathematica Policy Research, Inc. <u>http://www.mathematica-mpr.com/education/</u>
- National Assessment of Educational Progress <u>http://www.nces.ed.gov/nationsreportcard/</u>
- National Center for Education Statistics
  <u>http://www.nces.ed.gov/</u>
- National Center for Post-Secondary Improvement
  <u>http://www.stanford.edu/group/ncpi/</u>
- The National Center for Public Policy and Higher Education
  <a href="http://www.highereducation.org/index.shtml">http://www.highereducation.org/index.shtml</a>
- Promising Practices Network
  <a href="http://www.promisingpractices.net/">http://www.promisingpractices.net/</a>
- RAND Education
  <u>http://www.rand.org/education/</u>
- U.S. Department of Education
  <u>http://www.ed.gov/index.jhtml</u>





#### About the Robert Wood Johnson Foundation

The Robert Wood Johnson Foundation focuses on the pressing health and health care issues facing our country. As the nation's largest philanthropy devoted exclusively to improving the health and health care of all Americans, the Foundation works with a diverse group of organizations and individuals to identify solutions and achieve comprehensive, meaningful and timely change. For more than 35 years the Foundation has brought experience, commitment, and a rigorous, balanced approach to the problems that affect the health and health care of those it serves. When it comes to helping Americans lead healthier lives and get the care they need, the Foundation expects to make a difference in your lifetime.

### About the Commission to Build a Healthier America

The Robert Wood Johnson Foundation Commission to Build a Healthier America is a national, independent, non-partisan group of leaders formed in February 2008 to raise visibility of the many factors that influence health, examine innovative interventions that are making a real difference at the local level and in the private sector, and identify specific, feasible steps to improve Americans' health. The Commission released its recommendations on April 2, 2009.

### Credits

Lead Authors University of California, San Francisco Center on Social Disparities in Health Susan Egerter, PhD Paula Braveman, MD, MPH Tabashir Sadegh-Nobari, MPH Rebecca Grossman-Kahn Mercedes Dekker, MPH

Photography Elisabeth Fall, pg. 1 Robert Wood Johnson Foundation, pg. 12

Design and Layout Alex Field



### REFERENCES

- 1. Ross CE and Mirowsky J. "Refining the Association between Education and Health: The Effects of Quantity, Credential, and Selectivity." *Demography*, 36(4): 445-60, 1999.
- Low MD, Low BJ, Baumler ER, et al. "Can Education Policy Be Health Policy? Implications of Research on the Social Determinants of Health." J Health Policy Law, 30(6): 1131-62, 2005.
- 3. Mirowsky J and Ross CE. Education, Social Status, and Health. Hawthorne, NY: Aldine de Gruyter, 2003.
- 4. Cutler D and Lleras-Muney A. *Education and Health: Evaluating Theories and Evidence*. Bethesda, MD: National Bureau of Economic Research, 2006.
- 5. Grossman M and Kaestner R. "Effects of Education on Health." In: *The Social Benefits of Education*, Behrman JR and Stacey N (eds). Ann Arbor, MI: University of Michigan Press, 1997.
- 6. Winkleby MA, Fortmann SP and Barrett DC. "Social Class Disparities in Risk Factors for Disease: Eight-Year Prevalence Patterns by Level of Education." *Prev Med*, 19(1): 1-12, 1990.
- 7. Braveman P and Egerter S. Overcoming Obstacles to Health: Report from the Robert Wood Johnson Foundation to the Commission to Build a Healthier America. Washington, DC: Robert Wood Johnson Foundation Commission to Build a Healthier America, 2008.
- 8. Richards H and Barry R. "U.S. Life Tables for 1990 by Sex, Race, and Education." J Forensic Econ, 11(1): 9-26, 1998.
- 9. Ross CE and Wu C. "The Links between Education and Health." Am Sociol Rev, 60: 719-45, 1995.
- 10. Swanson CB. Cities in Crisis 2009: Closing the Graduation Gap. Bethesda, MD: Editorial Projects in Education, Inc., 2009.
- 11. Snyder TD, Dillow SA and Hoffman CM. *Digest of Education Statistics 2008*. Washington, DC: National Center for Education Statistics, Institute of Education Statistics, U.S. Department of Education, 2009.
- 12. The National Center for Public Policy and Higher Education. *Measuring up 2008. The National Report Card on Higher Education.* San Jose, CA, 2008. Available at: <a href="http://www.highereducation.org/">http://www.highereducation.org/</a>
- 13. Johnson N, Oliff P and Koulish J. Most States Are Cutting Education. Washington, DC: Center on Budget and Policy Priorities, 2008.
- 14. Habash A. Counting on Graduation: An Agenda for State Leadership. Washington, DC: The Education Trust, 2008.
- 15. Lee PP. "Why Literacy Matters. Links between Reading Ability and Health." Arch Ophthalmol, 117(1): 100-3, 1999.
- 16. Sanders LM, Federico S, Klass P, et al. "Literacy and Child Health: A Systematic Review." Arch Pediatr Adolesc Med, 163(2): 131-40, 2009.
- 17. Schillinger D, Grumbach K, Piette J, et al. "Association of Health Literacy with Diabetes Outcomes." JAMA, 288(4): 475-82, 2002.
- Williams MV, Baker DW, Parker RM, et al. "Relationship of Functional Health Literacy to Patients' Knowledge of Their Chronic Disease. A Study of Patients with Hypertension and Diabetes." Arch Intern Med, 158(2): 166-72, 1998.
- Barbeau E, Krieger N and Soobader MJ. "Working Class Matters: Socioeconomic Disadvantage, Race/Ethnicity, Gender, and Smoking in NHIS 2000." Am J Public Health, 94(2): 269-78, 2004.
- 20. Kant AK, Graubard BI and Kumanyika SK. "Trends in Black-White Differentials in Dietary Intakes of U.S. Adults, 1971-2002." Am J Prev Med, 32(4): 264-272, 2007.
- 21. Serdula MK, Coates RJ, Byers T, et al. "Fruit and Vegetable Intake among Adults in 16 States: Results of a Brief Telephone Survey." *Am J Public Health*, 85(2): 236-239, 1995.
- Zhu BP, Giovino GA, Mowery PD, et al. "The Relationship between Cigarette Smoking and Education Revisited: Implications for Categorizing Persons' Educational Status." Am J Public Health, 86(11): 1582-9, 1996.
- 23. de Walque D. Education, Information, and Smoking Decisions: Evidence from Smoking Histories, 1940-2000. Washington, DC: The World Bank, 2004.
- 24. Schillinger D, Barton LR, Karter AJ, et al. "Does Literacy Mediate the Relationship between Education and Health Outcomes? A Study of Low-Income Population with Diabetes." *Public Health Rep*, 121(3): 245-254, 2006.
- 25. Dewalt DA, Berkman ND, Sheridan S, et al. "Literacy and Health Outcomes: A Systematic Review of the Literature." *J Gen Intern Med*, 19(12): 1228-39, 2004.
- 26. Kutner M, Greenberg E, Jin Y, et al. *The Health Literacy of America's Adults: Results from the 2003 National Assessment of Adult Literacy*. Washington, DC: U.S. Department of Education, National Center for Education Statistics, 2006.
- 27. Idler EL and Kasl SV. "Self-Ratings of Health: Do They Also Predict Change in Functional Ability?" J Gerontol B Psychol Sci Soc Sci, 50(6): S344-53, 1995.
- 28. Idler EL and Benyamini Y. "Self-Rated Health and Mortality: A Review of Twenty-Seven Community Studies." *J Health Soc Behav*, 38(1): 21-37, 1997.
- 29. Baker D, Parker R, Williams MV, et al. "The Relationship of Patient Reading Ability to Self-Reported Health and Use of Health Services." *Am J Public Health*, 87(6): 1027-1039, 1997.
- 30. Table A-4. Employment Status of the Civilian Population 25 Years and over by Educational Attainment. *Economic News Release*. Washington, DC: U.S. Bureau of Labor Statistics, 2009.

- Bartley M and Plewis I. "Accumulated Labour Market Disadvantage and Limiting Long-Term Illness: Data from the 1971-1991 Office for National Statistics' Longitudinal Study." Int J Epidemiol, 31(2): 336-41, 2002.
- 32. Martikainen P and Valkonen T. "Excess Mortality of Unemployed Men and Women During a Period of Rapidly Increasing Unemployment." *Lancet*, 348(9032): 909-12, 1996.
- 33. Wilkinson R and Marmot M. Social Determinants of Health: The Solid Facts. Geneva: World Health Organization, 2003.
- 34. Bartley M, Ferrie J and Montgomery SM. "Health and Labor Market Disadvantage: Unemployment, Non-Employment, and Job Insecurity." In: *Social Determinants of Health,* 2<sup>nd</sup> ed. Marmot M and Wilkinson RG (eds). Oxford: Oxford University Press, 2006.
- 35. Cubbin C, LeClere FB and Smith G. "Socioeconomic Status and the Occurence of Fatal and Nonfatal Injury in the United States." Am J Public Health, 90(1): 70-77, 2000.
- 36. Almeida D. "Resilience and Vulnerability to Daily Stressors Assessed Via Diary Methods." Curr Dir Psychol Sci, 14(2): 64-68, 2005.
- 37. Almeida D, Neupert SD, Banks SR, et al. "Do Daily Stress Processes Account for Socioeconomic Health Disparities?" J Gerontol B Psychol Sci Soc Sci, 60(2): 34-39, 2005.
- Grzywacz J, Almeida D, Neupert SD, et al. "Socioeconomic Status and Health: A Micro-Level Analysis of Exposure and Vulnerability to Daily Stressors." J Health Soc Behav, 45: 1-16, 2004.
- 39. Gabel J, Levitt L, Holve E, et al. "Job-Based Health Benefits in 2002: Some Important Trends." Health Aff, 21(5): 143-151, 2002.
- 40. Stanton MW and Rutherford MK. *Employer-Sponsed Health Insurance: Trends in Cost and Access*. Rockville, MD: Agency for Healthcare Research and Quality, 2004.
- 41. Rouse CE and Barrow L. "U.S. Elementary and Secondary Schools: Equalizing Opportunity or Replicating the Status Quo?" *Future Child*, 16(2): 99-123, 2006.
- 42. Crissey SR. Educational Attainment in the United States: 2007. Washington, DC: U.S. Census Bureau, 2009.
- 43. Cheeseman Day J and Newburger EC. The Big Payoff: Educational Attainment and Synthetic Estimates of Work-Life Earnings. Washington, DC: U.S. Census Bureau, 2002.
- 44. Steptoe A and Marmot M. "The Role of Psychobiological Pathways in Socio-Economic Inequalities in Cardiovascular Disease Risk." Eur Heart J, 23(1): 13-25, 2002.
- 45. Mirowsky J and Ross C. "Education, Personal Control, Lifestyle, and Health. A Human Capital Hypothesis." *Res Aging*, 20(4): 415-449, 1998.
- 46. Cohen S, Kaplan GA and Salonen JT. "The Role of Psychological Characteristics in the Relation between Socioeconomic Status and Perceived Health." *J Appl Soc Psychol*, 29: 445-468, 1999.
- 47. Leganger A and Kraft P. "Control Constructs: Do They Mediate the Relation between Educational Attainment and Health Behaviour?" J Health Psychol, 8: 361-372, 2003.
- 48. Bailis DS, Segall A, Mahon MJ, et al. "Perceived Control in Relation to Socioeconomic and Behavioral Resources for Health." Soc Sci Med, 52(11): 1661-76, 2001.
- 49. AbuSabha R and Achterberg C. "Review of Self-Efficacy and Locus of Control for Nutrition- and Health-Related Behavior." *J Am Diet* Assoc, 97(10): 1122-1132, 1997.
- 50. Eden D and Aviram A. "Self-Efficacy Training to Speed Reemployment: Helping People to Help Themselves." *J Appl Psychol*, 78(3): 352-360, 1993.
- 51. Sherer M, Maddux JE, Mercadante B, et al. "The Self-Efficacy Scale: Construction and Validation." Psychol Rep, 51: 663-671, 1982.
- 52. Stajkovic AD and Luthans F. "Self-Efficacy and Work-Related Performance: A Meta-Analysis." Psychol Bull, 124(2): 240-261, 1998.
- 53. Black D, Morris JN, Smith C, et al. *Inequalities in Health. The Black Report: The Health Divide*. London: Penguin Books, 1988.
- 54. Davis JA. "Status Symbols and the Measurement of Status Perception." Sociometry, 19: 154-165, 1956.
- 55. Demakakos P, Nazroo J, Breeze E, et al. "Socioeconomic Status and Health: The Role of Subjective Social Status." Soc Sci Med, 67(2): 330-40, 2008.
- Singh-Manoux A, Adler NE and Marmot M. "Subjective Social Status: Its Determinants and Its Association with Measures of III-Health in the Whitehall II Study." Soc Sci Med, 56(6): 1321-33, 2003.
- 57. Almeida J, Molnar BE, Kawach I, et al. "Ethnicity and Nativity Status as Determinants of Perceived Social Support: Testing the Concept of Familism." Soc Sci Med, 68(10): 1852-1858, 2009.
- 58. Mickelson KD and Kubzansky LD. "Social Distribution of Social Support: The Mediating Role of Life Events." Am J Commun Psychol, 32(3-4): 265-281, 2003.
- 59. Turner J and Marino F. "Social Support and Social Structure: A Descriptive Epidemiology." J Health Soc Behav, 35(3): 193-212, 1994.
- 60. Cutler D and Lleras-Muney A. "Education and Health: Evaluating Theories and Evidence." In: *Making Americans Healthier: Social and Economic Policy as Health Policy*, Schoeni RF, House JS, Kaplan GA, et al. (eds). New York: Russell Sage Foundation, 2008.
- 61. Berkman LF and Glass T. "Social Integration, Social Networks, Social Support, and Health." In: Social Epidemiology, Berkman LF and Kawachi I (eds). New York: Oxford University Press, 2000.
- 62. Brummett BH, Barefoot JC, Siegler IC, et al. "Characteristics of Socially Isolated Patients with Coronary Artery Disease Who Are at Elevated Risk for Mortality." *Psychosom Med*, 63: 267-272, 2001.
- 63. Cohen S, Gottlieb B and Underwood L. "Social Relationships and Health." In: *Measuring and Intervening in Social Support*, Cohen S, Underwood L and Gottlieb B (eds). New York: Oxford Unviersity Press, 2000.
- 64. Kawachi I and Berkman LF. "Social Ties and Mental Health." J Urban Health, 78(3): 458-67, 2001.

- 65. Hughes ME and Waite LJ. "Marital Biography and Health at Mid-Life." J Health Soc Behav, 50(September): 344-358, 2009.
- Berkman LF and Syme SL. "Social Networks, Host Resistance, and Mortality: A Nine-Year Follow-up Study of Alemeda County Residents." Am J Epidemiol, 109(2): 186-204, 1979.
- 67. Fomby P and Cherlin AJ. "Family Instability and Child Well-Being." Am Sociol Rev, 72(April): 181-204, 2007.
- 68. Osborne C and McLanahan S. "Partnership Instability and Child Well-Being." J Marriage Fam, 69(November): 1065-1083, 2007.
- 69. Sandelfur GD and Wells T. "Does Family Structure Really Influence Educational Attainment?" Social Science Research, 28: 331-357, 1999.
- Lepore SJ, Allen KA and Evans GW. "Social Support Lowers Cardiovascular Reactivity to an Acute Stressor." Psychosom Med, 55(6): 518-524, 1993.
- 71. Uchino B. "Social Support and Health: A Review of Physiological Processes Potentially Underlying Links to Disease Outcomes." J Behav Med, 29: 377-387, 2006.
- 72. Cohen S and Wills TA. "Stress, Social Support, and the Buffering Hypothesis." Psychol Bull, 98(2): 310-357, 1985.
- 73. Campbell KE, Marsden PV and Hurlbert JS. "Social Resources and Socioeconomic Status." Soc Networks, 8(1): 97-117, 1986.
- 74. Huang G and Tausig M. "Network Range in Personal Networks." *Social Networks*, 12(3): 261-268, 1990.
- 75. Ross CE and Van Willigen M. "Education and the Subjective Quality of Life." J Health Soc Behav, 38(3): 275-297, 1997.
- 76. Chen E, Martin AD and Matthews KA. "Socioeconomic Status and Health: Do Gradients Differ within Childhood and Adolescence?" Soc Sci Med, 62(9): 2161-70, 2006.
- 77. Chen E, Matthews KA and Boyce WT. "Socioeconomic Differences in Children's Health: How and Why Do These Relationships Change with Age?" *Psychol Bull*, 128(2): 295-329, 2002.
- 78. Halle T, Forry N, Hair E, et al. Disparities in Early Learning and Development: Lessons from the Early Childhood Longitudinal Study -Birth Cohort (ECLS-B). Washington, DC: Child Trends, 2009.
- 79. Egerter S, Braveman P, Pamuk E, et al. America's Health Starts with Healthy Children: How Do States Compare? Washington, DC: Robert Wood Johnson Foundation Commission to Build a Healthier America, 2008.
- 80. Miller W, Simon P and Maleque S. Beyond Health Care: New Directions to a Healthier America. Washington, DC: Robert Wood Johnson Foundation Commission to Build a Healthier America, 2009.
- 81. Arnold DH and Doctoroff GL. "The Early Education of Socioeconomically Disadvantaged Children." Annu Rev Psychol, 54: 517-45, 2003.
- 82. Bradley RH and Corwyn RF. "Socioeconomic Status and Child Development." Annu Rev Psychol, 53: 371-99, 2002.
- 83. Brooks-Gunn J and Duncan GJ. "The Effects of Poverty on Children." Future Child, 7(2): 55-71, 1997.
- Haveman R and Wolfe B. "The Determinants of Children's Attainments: A Review of Methods and Findings." J Econ Lit, 33(4): 1829-1878, 1995.
- 85. Sirin SR. "Socioeconomic Status and Academic Achievement: A Meta-Analytic Review of Research." Rev Educ Res, 75(3): 36, 2005.
- 86. Haveman R and Smeeding T. "The Role of Higher Education in Social Mobility." Future Child, 16(2): 125-50, 2006.
- Davis-Kean PE. "The Influence of Parent Education and Family Income on Child Achievement: The Indirect Role of Parental Expectations and the Home Environment." J Fam Psychol, 19(2): 294-304, 2005.